## **OPTICALLY FUNCTIONAL GLASS**

Publication number: JP9048634
Publication date: 1997-02-18

Inventor: SUGIMOTO NAOKI; HIRAO KAZUYUKI; NASU

**HIROYUKI** 

Applicant: JAPAN RES DEV CORP; SUGIMOTO NAOKI

Classification:

- International: C03C3/076; C03C3/089; C03C3/102; C03C3/12;

C03C3/14; C03C3/16; C03C3/253; C03C4/00;

C03C3/076; C03C3/12; C03C4/00; (IPC1-7): C03C4/00;

C03C3/076; C03C3/089; C03C3/102; C03C3/12;

C03C3/14; C03C3/16; C03C3/253

- european:

Application number: JP19950196883 19950801 Priority number(s): JP19950196883 19950801

Report a data error here

## Abstract of JP9048634

PROBLEM TO BE SOLVED: To obtain an optically functional glass which facilitates the preparation of large-sized devices with excellent processability by combining a specific metal oxide and another specific metal oxide. SOLUTION: This optically functional glass is composed of a combination of 1) one or more selected from Nb2 O5 , Ta2 O5 , PbO, Bi2 O3 , and one or more selected from SiO2 , B2 O3 , GeO2 ; (2) B2 O3 and TeO2 , 3) at least one selected from ZnO and SnO and at least one selected from TeO2 and P2 O5 and has the photoinduced effect on refractive index, the electro-optic effect and/or SHG (second harmonic generation) effect. For example, this glass contatins 2-60 mole% of Nb2 O5 and/or Ta2 O5 , 40-98mol% of one or more selected from SiO2 , B2 O3 and GeO2 . In this glass, addition of at least one of Li2 O, Na2 O, K2 O, Rb2 and Cs2 O is also effective. Or the following compositions are also effective: 15-30mol% of B2 O3 and 70-85mol% of TeO2 or 10-40mol% of ZnO, 60-70mol% of TeO2 and <=20mol% of at least one of MgO and CdO.

Data supplied from the esp@cenet database - Worldwide

## JP 9-48634 A OPTICALLY FUNCTIONAL GLASS

## [Claims]

[Claim 1] An optically functional glass comprising at least one selected from Nb<sub>2</sub>O<sub>5</sub>, Ta<sub>2</sub>O<sub>5</sub>, PbO and Bi<sub>2</sub>O<sub>3</sub>, and at least one glass network former selected from SiO<sub>2</sub>, B<sub>2</sub>O<sub>3</sub> and GeO<sub>2</sub>, wherein the glass has a photo-induced effect on refractive index, an electro-optic effect and/or a second harmonic generation effect.

[Claim 2] The optically functional glass according to claim 1,

wherein the glass contains 2-60 mol% of at least one selected from  $Nb_2O_5$  and  $Ta_2O_5$ , and 40-98 mol% of at least one selected from  $SiO_2$ ,  $B_2O_3$  and  $GeO_2$ .

[Claim 3] The optically functional glass according to claim 2,

wherein the glass contains 2-30 mol% of at least one selected from  $Nb_2O_5$  and  $Ta_2O_5$ , 45-80 mol% of at least one selected from  $SiO_2$ ,  $B_2O_3$  and  $GeO_2$ , and 5-25 mol% of at least one selected from  $Li_2O$ ,  $Na_2O$ ,  $K_2O$ ,  $Rb_2O$  and  $Cs_2O$ .

\*\*\*

[Claim 6] An optically functional glass comprising at least one selected from ZnO and SnO, and at least one glass network former selected from  $TeO_2$  and  $P_2O_5$ , wherein the glass has a photo-induced effect on refractive index, an electro-optic effect and/or a second harmonic generation effect.

[Claim 7] The optically functional glass according to claim 6,

wherein the glass contains 10-40 mol% of ZnO and 60-75 mol% of TeO<sub>2</sub>, and 20 mol% or less of at least one selected from MgO and CdO.